



SAFETY DATA SHEET

SINK & DRAIN CLEAR

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME SINK & DRAIN CLEAR
PRODUCT NO. A003
INTERNAL ID P.80
APPLICATION Sink & Drain Cleaner / Unblocker.
SUPPLIER Evans Vanodine International
 Brierley Road
 Walton Summit
 Preston. PR5 8AH
 01772 322200
 01772 626000

2 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
SODIUM HYDROXIDE	215-185-5	1310-73-2	10-20%	C;R35
SODIUM HYPOCHLORITE SOLUTION, ... % Cl ACTIVE	231-668-3	7681-52-9	5-10%	C;R34 R31 N;R50

The Full Text for all R-Phrases are Displayed in Section 16

3 HAZARDS IDENTIFICATION

Causes severe burns. Contact with acids liberates toxic gas.

CLASSIFICATION C;R35. R31.

4 FIRST-AID MEASURES

INHALATION

Not relevant. Inhalation unlikely.

INGESTION

DO NOT INDUCE VOMITING! Rinse mouth thoroughly. Drink a few glasses of water or milk. Get medical attention immediately!

SKIN CONTACT

Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention immediately. Continue to rinse.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

SPECIFIC HAZARDS

If involved in fire, may emit noxious fumes.

PROTECTIVE MEASURES IN FIRE

Protective clothing and respiratory protection should be worn when tackling fires involving this product.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear suitable protective clothing, gloves and eye/face protection.

ENVIRONMENTAL PRECAUTIONS

Large spillages or uncontrolled discharges into rivers or streams must be reported to The Environment Agency or other regulatory body.

SINK & DRAIN CLEAR

SPILL CLEAN UP METHODS

Small quantities may be flushed to drains with plenty of water. Large Spillages Absorb in vermiculite, dry sand or earth and place into containers. Send for disposal as special waste.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Wear suitable protective clothing, gloves and eye/face protection.

STORAGE PRECAUTIONS

Store in a cool place away from light. Keep in original container. Keep containers tightly closed.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
SODIUM HYDROXIDE	WEL				2 mg/m3

INGREDIENT COMMENTS

WEL = Workplace Exposure Limits

PROTECTIVE EQUIPMENT



ENGINEERING MEASURES

Not applicable.

RESPIRATORY EQUIPMENT

None required.

HAND PROTECTION

Household rubber gloves.

EYE PROTECTION

Use approved safety goggles or face shield.

OTHER PROTECTION

Wear suitable protective clothing.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid	MELTING POINT (°C)	-2
COLOUR	Clear Pale Yellow	pH-VALUE, CONC. SOLUTION	13.70
ODOUR	Faint Characteristic Hypochlorite		
SOLUBILITY	Soluble in water		
BOILING POINT (°C)	102		
RELATIVE DENSITY	1.296 @ 20 °c		
FLASH POINT (°C)	Boils without flashing		

10 STABILITY AND REACTIVITY

STABILITY

Inadequately vented containers may become pressurised.

CONDITIONS TO AVOID

Heat and direct sunlight.

MATERIALS TO AVOID

Strong acids. Aluminium, Tin, Zinc and their alloys.

HAZARDOUS DECOMPOSITION PRODUCTS

Toxic chlorine gas is released if product is mixed with acidic materials.

11 TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION

Refer to section 3.

12 ECOLOGICAL INFORMATION

SINK & DRAIN CLEAR

ECOTOXICITY

Potentially hazardous due to the alkalinity of the product.

BIOACCUMULATION

Completely soluble. No bioaccumulation.

DEGRADABILITY

Sequestrant is readily degraded during biological effluent treatment processes.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.

14 TRANSPORT INFORMATION



PROPER SHIPPING NAME	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide solution & hypochlorite solution)		
UN NO. ROAD	1719	ADR CLASS	Class 8: Corrosive substances.
ADR PACK GROUP	II	RID CLASS NO.	Class 8: CoRosive substances.
RID PACK GROUP	II	UN NO. SEA	1719
IMDG CLASS	Class 8: CoRosive substances.	IMDG PACK GR.	II
MARINE POLLUTANT	No.	UN NO. AIR	1719
AIR CLASS	Class 8: CoRosive substances.	AIR PACK GR.	II

15 REGULATORY INFORMATION

LABELLING



Corrosive

CONTAINS

SODIUM HYDROXIDE

RISK PHRASES

R35 Causes severe burns.
R31 Contact with acids liberates toxic gas.

SAFETY PHRASES

S2 Keep out of the reach of children
S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S45 In case of accident or if you feel unwell, seek medical advice immediately (show label where possible).
S50B Do not mix with other products especially acidic products.

ENVIRONMENTAL LISTING

Hazardous Waste (England and Wales) Regulations.

EU DIRECTIVES

System of specific information relating to Dangerous Preparations. 2001/58/EEC. As amended by Directive 93/112/EC and 2001/58/EC.

STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations. 2005

SINK & DRAIN CLEAR

APPROVED CODE OF PRACTICE

The compilation of safety Data Sheets L130.

GUIDANCE NOTES

Workplace Exposure Limits EH40. As amended in 2005. Approved guide to the Classification and Labelling of Substances and Preparations Dangerous for Supply. L100

16 OTHER INFORMATION

INFORMATION SOURCES

Approved Supply List - HSC. Material Safety Data Sheet, Misc. manufacturers.

REVISION COMMENTS

New product.

REVISION DATE 01/11/05

REV. NO./REPL. SDS Issue 1

GENERATED

RISK PHRASES IN FULL

R31 Contact with acids liberates toxic gas.
R34 Causes burns.
R35 Causes severe burns.
R50 Very toxic to aquatic organisms.